INDEX TO VOLUME 3

Author Index

A

Adelman CL: *See* **Parran TV**
Adinoff B: The alcohol withdrawal syndrome: neurobiology of treatment and toxicity. Fall 277–288
Alexander MJ, Craig TJ, MacDonald J, Haugland G: Dual diagnosis in a state psychiatric facility: risk factors, correlates, and phenomenology of use. Fall 314–324
Allebeck P: *See* **Allgulander C**
Allen DF: *See* **Jekel JF**
Allgulander C, Brandt L, Allebeck P: Suicide and psychopathology in 1,537 patients dependent on prescribed psychoactive medications: Stockholm, Sweden. Summer 236–240
Amundsen F: *See* **Brook DW**
Asmus G: *See* **Compton WM**
Atkinson RM: *See* **Berman JD**

B

Baldwin L: *See* **Schmitz JM**
Bauer LO: Photic driving of EEG alpha activity in recovering cocaine-dependent and alcohol-dependent patients. Winter 49–57
Beazoglou D: *See* **Bohn MJ**
Becker S: *See* **Brady KT**
Berman JD, Atkinson RM: Predicting acceptance of treatment in male dual-diagnosis outpatients. Summer 213–221
Bigelow C: *See* **McCusker J**
Bigelow GE: *See* **Strain EC**
Bingham J: *See* **Mahler J**
Blackson TC, Tarter RE, Martin CS, Moss HB: Temperament mediates the effects of family history of substance abuse on externalizing and internalizing child behavior. Winter 58–66
Bohn MJ, Kranzler HR, Beazoglou D, Staehler B: Naltrexone and brief counseling to reduce heavy drinking: results of a small clinical trial. Spring 91–99
Brady KT, Killeen T, Saladin ME, Dansky B, Becker S: Comorbid substance abuse and posttraumatic stress disorder: characteristics of women in treatment. Spring 160–164
Brady KT: *See* **Malcolm R**
Brandt L: *See* **Allgulander C**
Bransfield S: *See* **Friedman AS**
Brook DW, Brook JS, Whiteman M, Roberto J, Masci JR, de Catalogne J, Amundsen F, Wynn PS: Psychosocial risk factors and condom use in intravenous drug abusers. Spring 106–114
Brook JS: *See* **Brook DW**
Bukstein O, Kaminer Y: The nosology of adolescent substance abuse. Winter 1–13
Burleson JA: *See* **Manu P**

C

Calsyn DA: *See* **Saxon AJ**
Carlson GA: *See* **Halikas JA**
Cermak TL: Treating Alcohol Problems: Marital and Family Interventions, edited by Timothy J. O'Farrell (book review). Fall 356–357
Clark C: *See* **Dilts SL**
Clark RR: Marijuana use associated with first episode of psychiatric illness in an adolescent population (clinical/research report). Winter 67–71
Clarke N: *See* **Jekel JF**
Compton WM, Cottler LB, Dinwiddie SH, Spitznagel EL, Mager DE, Asmus G: Inhalant use: characteristics and predictors. Summer 263–272
Cottler LB: *See* **Compton WM**
Covi L: *See* **Montoya ID**
Craig TJ: *See* **Alexander MJ**
Crosby RD: *See* **Halikas JA**

D

Dansky B: *See* **Brady KT**
de Catalogne J: *See* **Brook DW**
Dermatis H: *See* **Mahler J**
Dilts SL, Gendel M, Lepoff R, Clark C, Radcliff S: The Colorado Physician Health Program: observations at 7 years. Fall 337–345
Dinwiddie SH: *See* **Compton WM**

F

Falcioni J: *See* **Oliveto AH**
Filstead WJ: *See* **Ross AA**
Forza G: *See* **Schifano F**
Friedman AS, Bransfield S, Kreisher C: Early teenage substance use as a predictor of educational-vocational failure. Fall 325–336
Fudala PJ: *See* **Montoya ID**
Fukui S: *See* **Wada K**

G

Galanter M: *See* **Szczucki D**
Gallimberti LL: *See* **Schifano F**
Gendel M: *See* **Dilts SL**

INDEX TO VOLUME 3

Author Index

A

Adelman CL: *See* **Parran TV**
Adinoff B: The alcohol withdrawal syndrome: neurobiology of treatment and toxicity. Fall 277–288
Alexander MJ, Craig TJ, MacDonald J, Haugland G: Dual diagnosis in a state psychiatric facility: risk factors, correlates, and phenomenology of use. Fall 314–324
Allebeck P: *See* **Allgulander C**
Allen DF: *See* **Jekel JF**
Allgulander C, Brandt L, Allebeck P: Suicide and psychopathology in 1,537 patients dependent on prescribed psychoactive medications: Stockholm, Sweden. Summer 236–240
Amundsen F: *See* **Brook DW**
Asmus G: *See* **Compton WM**
Atkinson RM: *See* **Berman JD**

B

Baldwin L: *See* **Schmitz JM**
Bauer LO: Photic driving of EEG alpha activity in recovering cocaine-dependent and alcohol-dependent patients. Winter 49–57
Beazoglou D: *See* **Bohn MJ**
Becker S: *See* **Brady KT**
Berman JD, Atkinson RM: Predicting acceptance of treatment in male dual-diagnosis outpatients. Summer 213–221
Bigelow C: *See* **McCusker J**
Bigelow GE: *See* **Strain EC**
Bingham J: *See* **Mahler J**
Blackson TC, Tarter RE, Martin CS, Moss HB: Temperament mediates the effects of family history of substance abuse on externalizing and internalizing child behavior. Winter 58–66
Bohn MJ, Kranzler HR, Beazoglou D, Staehler B: Naltrexone and brief counseling to reduce heavy drinking: results of a small clinical trial. Spring 91–99
Brady KT, Killeen T, Saladin ME, Dansky B, Becker S: Comorbid substance abuse and posttraumatic stress disorder: characteristics of women in treatment. Spring 160–164
Brady KT: *See* **Malcolm R**
Brandt L: *See* **Allgulander C**
Bransfield S: *See* **Friedman AS**
Brook DW, Brook JS, Whiteman M, Roberto J, Masci JR, de Catalogne J, Amundsen F, Wynn PS: Psychosocial risk factors and condom use in intravenous drug abusers. Spring 106–114
Brook JS: *See* **Brook DW**
Bukstein O, Kaminer Y: The nosology of adolescent substance abuse. Winter 1–13
Burleson JA: *See* **Manu P**

C

Calsyn DA: *See* **Saxon AJ**
Carlson GA: *See* **Halikas JA**
Cermak TL: Treating Alcohol Problems: Marital and Family Interventions, edited by Timothy J. O'Farrell (book review). Fall 356–357
Clark C: *See* **Dilts SL**
Clark RR: Marijuana use associated with first episode of psychiatric illness in an adolescent population (clinical/research report). Winter 67–71
Clarke N: *See* **Jekel JF**
Compton WM, Cottler LB, Dinwiddie SH, Spitznagel EL, Mager DE, Asmus G: Inhalant use: characteristics and predictors. Summer 263–272
Cottler LB: *See* **Compton WM**
Covi L: *See* **Montoya ID**
Craig TJ: *See* **Alexander MJ**
Crosby RD: *See* **Halikas JA**

D

Dansky B: *See* **Brady KT**
de Catalogne J: *See* **Brook DW**
Dermatis H: *See* **Mahler J**
Dilts SL, Gendel M, Lepoff R, Clark C, Radcliff S: The Colorado Physician Health Program: observations at 7 years. Fall 337–345
Dinwiddie SH: *See* **Compton WM**

F

Falcioni J: *See* **Oliveto AH**
Filstead WJ: *See* **Ross AA**
Forza G: *See* **Schifano F**
Friedman AS, Bransfield S, Kreisher C: Early teenage substance use as a predictor of educational-vocational failure. Fall 325–336
Fudala PJ: *See* **Montoya ID**
Fukui S: *See* **Wada K**

G

Galanter M: *See* **Szczucki D**
Gallimberti LL: *See* **Schifano F**
Gendel M: *See* **Dilts SL**

Grabowski J: *See* **Schmitz JM**
Gray H: *See* **Jekel JF**
Gruber AJ, Pope HG: Cannabis psychotic disorder: does it exist? (clinical update). Winter 72–83

H

Halikas JA, Crosby RD, Pearson VL, Nugent SM, Carlson GA: Psychiatric comorbidity in treatment-seeking cocaine abusers. Winter 25–35
Haugland G: *See* **Alexander MJ**
Hawker CS: *See* **Saxon AJ**
Hess JM: *See* **Montoya ID**
Hodo DW: Cocaine—Drugs of Abuse: A Comprehensive Series for Clinicians, by Gold MS (book review). Summer 275–276
Hoven C: *See* **Szczucki D**
Hsieh YC: *See* **Mezzich AC**

J

Jaffe SL: Dual Diagnosis in Substance Abuse, by Gold MS, Slaby AE (book review). Spring 180
Jasinski DR: *See* **Parran TV**
Jekel JF, Allen DF, Clarke N, Podlewski H, Gray H, Roberts C: Nine years of the freebase cocaine epidemic in the Bahamas. Winter 14–24
Johnson RE: *See* **Montoya ID**

K

Kaminer Y: *See* **Bukstein O**
Khantzian EJ: Treating the Poor: A Personal Sojourn Through the Rise and Fall of Community Mental Health, by Dumont MP (book review). Summer 273–274
Killeen T: *See* **Brady KT**
Kirisci L: *See* **Moss HB**
Kosten TK: *See* **Oliveto AH**
Kranzler HR: *See* **Bohn MJ**; **Manu P**
Kreisher C: *See* **Friedman AS**

L

Lepoff R: *See* **Dilts SL**
Leonard EC: Alcohol, opium, and tobacco, 1817–1844: a view from America's first private mental hospital. Summer 185–193
Liebson IA: *See* **Strain EC**
Lifshutz H: *See* **Szczucki D**

M

MacDonald J: *See* **Alexander MJ**
Mager DE: *See* **Compton WM**
Mahler J, Stebinger A, Yi D, Bingham J, Sacks M, Dermatis H, Perry S: Reliability of admission history in predicting HIV infection among alcoholic inpatients. Summer 222–226
Malakoff ME, Mayes LC, Schottenfeld RS: Language abilities of preschool-age children living with cocaine-abusing mothers. Fall 346–354
Malcolm R, Phillips JD, Brady KT, Roberts JR: A comparison of pergolide and bromocriptine in the initial rehabilitation of cocaine dependence. Spring 144–150
Manu P, Burleson JA, Kranzler HR: Patient predictors of irregular discharge from inpatient substance abuse treatment. Spring 122–128
Martin CS: *See* **Blackson TC**
Masci JR: *See* **Brook DW**
Mauss R: *See* **Mezzich AC**
Mayes LC: *See* **Malakoff ME**
McCusker J, Bigelow C, Servigon C, Zorn M: Test-retest reliability of the Addiction Severity Index composite scores among clients in residential treatment. Summer 254–262
Mezzich AC, Moss H, Tarter RE, Wolfenstein M, Hsieh YC, Mauss R: Gender differences in the pattern and progression of substance use in conduct-disordered adolescents. Fall 289–295
Mezzich AC: *See* **Moss HB**
Montoya ID, Hess JM, Covi L, Fudula PJ, Johnson RE: A comparative study of psychopathology and cognitive functions between cocaine- and opiate-dependent patients. Winter 36–42
Moore R: *See* **Szczucki D**
Moss HB, Kirisci L, Mezzich AC: Psychiatric comorbidity and self-efficacy to resist heavy drinking in alcoholic and nonalcoholic adolescents. Summer 204–212
Moss HB: *See* **Blackson TC**; **Mezzich AC**

N

Nugent SM: *See* **Halikas JA**

O

O'Keefe J: *See* **Wilens TE**
Oliveto AH, Kosten TR, Schottenfeld R, Ziedonis D, Falcioni J: Cocaine use in buprenorphine- vs. methadone-maintained patients. Winter 43–48
Oswald LM: *See* **Schmitz JM**

P

Parran TV, Adelman CL, Jasinski DR: A buprenorphine stabilization and rapid-taper protocol for the detoxification of opioid-dependent patients. Fall 306–313
Parrella DP: *See* **Ross AA**
Pearson VL: *See* **Halikas JA**
Perry S: *See* **Mahler J**
Phillips JD: *See* **Malcolm R**

Podlewski H: *See* **Jekel JF**
Pope HG: *See* **Gruber AJ**
Preston KL: *See* **Strain EC**

R

Radcliff S: *See* **Dilts SL**
Renner JA: *See* **Wilens TE**
Roberto J: *See* **Brook DW**
Roberts C: *See* **Jekel JF**
Roberts JR: *See* **Malcolm R**
Rosen M: Residential Treatment: A Cooperative, Competency-Based Approach to Therapy and Program Design, by Michael Durrant (book review). Fall 355–356
Ross AA, Filstead WJ, Parrella DP, Rossi JJ: A comparison of high-risk situations for alcohol and other drugs. Summer 241–253
Rossi JJ: *See* **Ross AA**

S

Sacks M: *See* **Mahler J**
Saladin ME: *See* **Brady KT**
Saley P: *See* **Wilens TE**
Saxon AJ, Calsyn DA, Stanton V, Hawker CS: Using the General Behavior Inventory to screen for mood disorders among patients with psychoactive substance dependence. Fall 296–305
Scheidt DM, Windle M: Axis I and Axis II comorbidity among alcohol-disordered me in a sample of Vietnam-era veterans. Spring 151–159
Schifano F, Forza G, Gallimberti L: Smoking habit and psychological distress in adolescent female students. Spring 100–105
Schmitz JM, Oswald LM, Baldwin L, Grabowski J: A survey of posthospitalization treatment needs and preferences in cocaine abusers. Summer 227–235
Schottenfeld RS: *See* **Malakoff ME**; **Oliveto AH**
Servigon C: *See* **McCusker J**
Shaw S: Research on AA: Opportunities and Alternatives, edited by McCrady BS, Miller WR (book review). Winter 85–86
Spitznagel EL: *See* **Compton WM**
Staehler B: *See* **Bohn MJ**
Stanton V: *See* **Saxon AJ**
Stebinger A: *See* **Mahler J**
Stitzer ML: *See* **Strain EC**
Strain EC, Preston KL, Stitzer ML, Liebson IA, Bigelow GE: The effects of cocaine in buprenorphine-maintained outpatient volunteers: results from clinical experience and laboratory challenges. Spring 129–143
Strassman RJ: Psychedelics Encyclopedia, 3rd Expanded Edition, edited by Stafford P (book review). Spring 178–180
Szczucki D, Galanter M, Lifshutz H, Hoven C, Moore R: Drug use and psychiatric hospitalization among homeless patients. Spring 115–121

T

Tarter RE: *See* **Blackson TC**; **Mezzich AC**
Triffleman E: The Making of a Drug-Free America: Programs That Work, by Falco M (book review). Spring 177–178
Tripp LE: Drugs of Abuse and Neurobiology, edited by Watson RR (book review). Winter 84–85

W

Wada K, Fukui S: Demographic and social characteristics of solvent abuse patients in Japan. Spring 165–176
Weddington WW: Cocaine, Second Edition, by Weiss RD, Mirin SM, Bartel RL (book review). Fall 357–358
Whiteman M: *See* **Brook DW**
Wilens TE, Saley P, Renner JA, O'Keefe J: A public, dual-diagnosis detoxification unit, part III: short-term efficacy of treatment (special article). Summer 194–203
Windle M: *See* **Scheidt DM**
Wolfenstein M: *See* **Mezzich AC**
Wynn PS: *See* **Brook DW**

Y

Yi D: *See* **Mahler J**

Z

Ziedonis D: *See* **Oliveto AH**
Zorn M: *See* **McCusker J**

Subject Index

A

Addiction Severity Index (ASI)
Test-retest reliability of the Addiction Severity Index composite scores among clients in residential treatment. Summer 254–262

Adolescents
Demographic and social characteristics of solvent abuse patients in Japan. Wada K, Fukui S. Spring 165–176
Early teenage substance use as a predictor of

educational-vocational failure. Friedman AS, Bransfield S, Kreisher C. Fall 325–336
Gender differences in the pattern and progression of substance use in conduct-disordered adolescents. Mezzich AC, Moss H, Tarter RE, Wolfenstein M, Hsieh YC, Mauss R. Fall 289–295
Marijuana use associated with first episode of psychiatric illness in an adolescent population (clinical/research report). Clark RR. Winter 67–71
The nosology of adolescent substance abuse. Bukstein O, Kaminer Y. Winter 1–13
Psychiatric comorbidity and self-efficacy to resist heavy drinking in alcoholic and nonalcoholic adolescents. Moss HB, Kirisci L, Mezzich AC. Summer 204–212
Smoking habit and psychological distress in adolescent female students. Schifano F, Forza G, Gallimberti L. Spring 100–105

Alcohol Abuse/Dependence

Alcohol, opium, and tobacco, 1817–1844: a view from America's first private mental hospital. Leonard EC. Summer 185–193
The alcohol withdrawal syndrome: neurobiology of treatment and toxicity. Adinoff B. Fall 277–288
Axis I and Axis II comorbidity among alcohol-disordered men in a sample of Vietnam-era veterans. Scheidt DM, Windle M. Spring 151–159
A comparison of high-risk situations for alcohol and other drugs. Ross AA, Filstead WJ, Parella DP, Rossi JJ. Summer 241–253
Naltrexone and brief counseling to reduce heavy drinking: results of a small clinical trial. Bohn MJ, Kranzler HR, Beazoglou D, Staehler BA. Spring 91–99
Psychiatric comorbidity and self-efficacy to resist heavy drinking in alcoholic and nonalcoholic adolescents. Moss HB, Kirisci L, Mezzich AC. Summer 204–212
Reliability of admission history in predicting HIV infection among alcoholic inpatients. Mahler J, Stebinger A, Yi D, Bingham J, Sacks M, Dermatis H, Perry S. Summer 222–226

B

Bahamas

Nine years of the freebase cocaine epidemic in the Bahamas. Jekel JF, Allen DF, Clarke N, Podlewski H, Gray H, Roberts C. Winter 14–24

Books Reviewed

Cocaine—Drugs of Abuse: A Comprehensive Series for Clinicians, by Gold MS. Hodo DW. Summer 275–276
Cocaine, Second Edition, by Weiss RD, Mirin SM, Bartel RL. Weddington WW. Fall 357–358
Drugs of Abuse and Neurobiology, edited by Watson RR. Tripp LE. Winter 84–85
Dual Diagnosis in Substance Abuse, edited by Gold MS, Slaby AE. Spring 180
The Making of a Drug-Free America: Programs That Work, by Falco M. Triffleman E. Spring 177–178
Psychedelics Encyclopedia, 3rd Expanded Edition, by Stafford P. Strassman RJ. Spring 178–180
Research on Alcoholics Anonymous: Opportunities and Alternatives, edited by McCrady BS, Miller WR. Shaw S. Winter 85–86
Residential Treatment: A Cooperative, Competency-Based Approach to Therapy and Program Design, by Michael Durrant. Rosen M. Fall 355–356
Treating Alcohol Problems: Marital and Family Interventions, edited by Timothy J. O'Farrell. Cermak TL. Fall 356–357
Treating the Poor: A Personal Sojourn Through the Rise and Fall of Community Mental Health, by Dumont MP. Khantzian EJ. Summer 273–274

Bromocriptine

A comparison of pergolide and bromocriptine in the initial rehabilitation of cocaine dependence. Malcolm R, Phillips JD, Brady KT, Roberts JR. Spring 144–150

Buprenorphine

A buprenorphine stabilization and rapid-taper protocol for the detoxification of opioid-dependent patients. Parran TV, Adelman CL, Jasinski DR. Fall 306–313
Cocaine use in buprenorphine- vs. methadone-maintained patients. Oliveto AH, Kosten TR, Schottenfeld R, Ziedonis D, Falcioni J. Winter 43–48
The effects of cocaine in buprenorphine-maintained outpatient volunteers: results from clinical experience and laboratory challenges. Strain EC, Preston KL, Stitzer ML, Liebson IA, Bigelow GE. Spring 129–143

C

Child Behavior Problems

Temperament mediates the effects of family history of substance abuse on externalizing and internalizing child behavior. Blackson TC, Tarter RE, Martin CS, Moss HB. Winter 58–66

Cocaine Abuse/Dependence

A comparison of high-risk situations for alcohol and other drugs. Ross AA, Filstead WJ, Parella DP, Rossi JJ. Summer 241–253
A comparison of pergolide and bromocriptine in the initial rehabilitation of cocaine dependence. Malcolm R, Phillips JD, Brady KT, Roberts JR.

Spring 144–150
Language abilities of preschool-age children living with cocaine-using mothers. Malakoff ME, Mayes LC, Schottenfeld RS. Fall 346–354
Psychiatric comorbidity in treatment-seeking cocaine abusers. Halikas JA, Crosby RD, Pearson VL, Nugent SM, Carlson GA. Winter 25–35
A survey of posthospitalization treatment needs and preferences in cocaine abusers. Schmitz JM, Oswald LM, Baldwin L, Grabowski J. Summer 227–235

Cocaine and Alcohol Dependence

Photic driving of EEG alpha activity in recovering cocaine-dependent and alcohol-dependent patients. Bauer LO. Winter 49–57

Cocaine and Opiate Dependence

Cocaine use in buprenorphine- vs. methadone-maintained patients. Oliveto AH, Kosten TR, Schottenfeld R, Ziedonis D, Falcioni J. Winter 43–48
A comparative study of psychopathology and cognitive functions between cocaine- and opiate-dependent patients. Montoya ID, Hess JM, Covi L, Fudala PJ, Johnson RE. Winter 36–42
The effects of cocaine in buprenorphine-maintained outpatient volunteers: results from clinical experience and laboratory challenges. Strain EC, Preston KL, Stitzer ML, Liebson IA, Bigelow GE. Spring 129–143

Cognitive Function

A comparative study of psychopathology and cognitive functions between cocaine- and opiate-dependent patients. Montoya ID, Hess JM, Covi L, Fudala PJ, Johnson RE. Winter 36–42

Condom Use

Psychosocial risk factors and condom use in intravenous drug abusers. Brook DW, Brook JS, Whiteman M, Roberto J, Masci JR, de Catalogne J, Amundsen F, Wynn PS. Spring 106–121

Conduct Disorder

Gender differences in the pattern and progression of substance use in conduct-disordered adolescents. Mezzich AC, Moss H, Tarter RE, Wolfenstein M, Hsieh YC, Mauss R. Fall 289–295

Counseling

Naltrexone and brief counseling to reduce heavy drinking: results of a small clinical trial. Bohn MJ, Kranzler HR, Beazoglou D, Staehler BA. Spring 91–99

"Crack" Cocaine (Freebase)

Nine years of the freebase cocaine epidemic in the Bahamas. Jekel JF, Allen DF, Clarke N, Podlewski H, Gray H, Roberts C. Winter 14–24

D

Detoxification

The alcohol withdrawal syndrome: neurobiology of treatment and toxicity. Adinoff B. Fall 277–288
A buprenorphine stabilization and rapid-taper protocol for the detoxification of opioid-dependent patients. Parran TV, Adelman CL, Jasinski DR. Fall 306–313
A public dual-diagnosis detoxification unit, part III: short-term efficacy of treatment (special article). Wilens TE, Saley S, Renner JA, O'Keefe J. Summer 194–203

Dual Diagnosis/Comorbidity

Axis I and Axis II comorbidity among alcohol-disordered men in a sample of Vietnam-era veterans. Scheidt DM, Windle M. Spring 151–159
Cannabis psychotic disorder: does it exist? (clinical update). Gruber AJ, Pope HG. Winter 72–83
Comorbid substance abuse and posttraumatic stress disorder: characteristics of women in treatment (clinical/research report). Brady KT, Killeen T, Saladin ME, Dansky B, Becker S. Spring 160–164
A comparative study of psychopathology and cognitive functions between cocaine- and opiate-dependent patients. Montoya ID, Hess JM, Covi L, Fudala PJ, Johnson RE. Winter 36–42
Dual diagnosis in a state psychiatric facility: risk factors, correlates, and phenomenology of use. Alexander MJ, Craig TJ, MacDonald J, Haugland G. Fall 314–324
Gender differences in the pattern and progression of substance use in conduct-disordered adolescents. Mezzich AC, Moss H, Tarter RE, Wolfenstein M, Hsieh YC, Mauss R. Fall 289–295
Inhalant use: characteristics and predictors. Compton WM, Cottler LB, Dinwiddie SH, Spitznagel EL, Mager DE, Asmus G. Summer 263–272
Marijuana use associated with first episode of psychiatric illness in an adolescent population (clinical/research report). Clark RR. Winter 67–71
Predicting acceptance of treatment in male dual-diagnosis outpatients. Berman JD, Atkinson RM. Summer 213–221
Psychiatric comorbidity in treatment-seeking cocaine abusers. Halikas JA, Crosby RD, Pearson VL, Nugent SM, Carlson GA. Winter 25–35
A public dual-diagnosis detoxification unit, part III: short-term efficacy of treatment (special article). Wilens TE, Saley S, Renner JA, O'Keefe J. Summer 194–203
Suicide and psychopathology in 1,537 patients dependent on prescribed psychoactive

medications: Stockholm, Sweden. Allgulander C, Brandt L, Allebeck P. Summer 236–240

Using the General Behavior Inventory to screen for mood disorders among patients with psychoactive substance dependence. Saxon AJ, Calsyn DA, Stanton V, Hawker CS. Fall 296–305

E

EEG Studies

Photic driving of EEG alpha activity in recovering cocaine-dependent and alcohol-dependent patients. Bauer LO. Winter 49–57

Epidemiology

The Colorado Physician Health Program: Observations at 7 Years. Dilts SL, Gendel M, Lepoff R, Clark C, Radcliff S. Fall 337–345

Demographic and social characteristics of solvent abuse patients in Japan. Wada K, Fukui S. Spring 165–176

Inhalant use: characteristics and predictors. Compton WM, Cottler LB, Dinwiddie SH, Spitznagel EL, Mager DE, Asmus G. Summer 263–272

Nine years of the freebase cocaine epidemic in the Bahamas. Jekel JF, Allen DF, Clarke N, Podlewski H, Gray H, Roberts C. Winter 14–24

The nosology of adolescent substance abuse. Bukstein O, Kaminer Y. Winter 1–13

Patient predictors of irregular discharge from inpatient substance abuse treatment. Manu P, Burleson JA, Kranzler HR. Spring 122–128

Suicide and psychopathology in 1,537 patients dependent on prescribed psychoactive medications: Stockholm, Sweden. Allgulander C, Brandt L, Allebeck P. Summer 236–240

F

Family History

Demographic and social characteristics of solvent abuse patients in Japan. Wada K, Fukui S. Spring 165–176

Early teenage substance use as a predictor of educational-vocational failure. Friedman AS, Bransfield S, Kreisher C. Fall 325–336

Psychosocial risk factors and condom use in intravenous drug abusers. Brook DW, Brook JS, Whiteman M, Roberto J, Masci JR, de Catalogne J, Amundsen F, Wynn PS. Spring 106–121

Temperament mediates the effects of family history of substance abuse on externalizing and internalizing child behavior. Blackson TC, Tarter RE, Martin CS, Moss HB. Winter 58–66

G

Gender Differences

Gender differences in the pattern and progression of substance use in conduct-disordered adolescents. Mezzich AC, Moss H, Tarter RE, Wolfenstein M, Hsieh YC, Mauss R. Fall 289–295

General Behavior Inventory

Using the General Behavior Inventory to screen for mood disorders among patients with psychoactive substance dependence. Saxon AJ, Calsyn DA, Stanton V, Hawker CS. Fall 296–305

H

HIV Risk Factors

Psychosocial risk factors and condom use in intravenous drug abusers. Brook DW, Brook JS, Whiteman M, Roberto J, Masci JR, de Catalogne J, Amundsen F, Wynn PS. Spring 106–121

Reliability of admission history in predicting HIV infection among alcoholic inpatients. Mahler J, Stebinger A, Yi D, Bingham J, Sacks M, Dermatis H, Perry S. Summer 222–226

Hospitalization

Alcohol, opium, and tobacco, 1817–1844: a view from America's first private mental hospital. Leonard EC. Summer 185–193

Dual diagnosis in a state psychiatric facility: risk factors, correlates, and phenomenology of use. Alexander MJ, Craig TJ, MacDonald J, Haugland G. Fall 314–324

Patient predictors of irregular discharge from inpatient substance abuse treatment. Manu P, Burleson JA, Kranzler HR. Spring 122–128

A public dual-diagnosis detoxification unit, part III: short-term efficacy of treatment (special article). Wilens TE, Saley S, Renner JA, O'Keefe J. Summer 194–203

Reliability of admission history in predicting HIV infection among alcoholic inpatients. Mahler J, Stebinger A, Yi D, Bingham J, Sacks M, Dermatis H, Perry S. Summer 222–226

A survey of posthospitalization treatment needs and preferences in cocaine abusers. Schmitz JM, Oswald LM, Baldwin L, Grabowski J. Summer 227–235

Test-retest reliability of the Addiction Severity Index composite scores among clients in residential treatment. Summer 254–262

I

Inhalant/Solvent Abuse

Demographic and social characteristics of solvent

abuse patients in Japan. Wada K, Fukui S. Spring 165–176
Inhalant use: characteristics and predictors. Compton WM, Cottler LB, Dinwiddie SH, Spitznagel EL, Mager DE, Asmus G. Summer 263–272
Initiation/Onset of Use
A comparison of high-risk situations for alcohol and other drugs. Ross AA, Filstead WJ, Parella DP, Rossi JJ. Summer 241–253
The nosology of adolescent substance abuse. Bukstein O, Kaminer Y. Winter 1–13
Smoking habit and psychological distress in adolescent female students. Schifano F, Forza G, Gallimberti L. Spring 100–105
Injecting Drug Users (IDUs)
Psychosocial risk factors and condom use in intravenous drug abusers. Brook DW, Brook JS, Whiteman M, Roberto J, Masci JR, de Catalogne J, Amundsen F, Wynn PS. Spring 106–121

J

Japan
Demographic and social characteristics of solvent abuse patients in Japan. Wada K, Fukui S. Spring 165–176

L

Longitudinal Observation
The Colorado Physician Health Program: Observations at 7 Years. Dilts SL, Gendel M, Lepoff R, Clark C, Radcliff S. Fall 337–345
Early teenage substance use as a predictor of educational-vocational failure. Friedman AS, Bransfield S, Kreisher C. Fall 325–336

M

Marijuana
Cannabis psychotic disorder: does it exist? (clinical update). Gruber AJ, Pope HG. Winter 72–83
A comparison of high-risk situations for alcohol and other drugs. Ross AA, Filstead WJ, Parella DP, Rossi JJ. Summer 241–253
Marijuana use associated with first episode of psychiatric illness in an adolescent population (clinical/research report). Clark RR. Winter 67–71
Methadone
Cocaine use in buprenorphine- vs. methadone-maintained patients. Oliveto AH, Kosten TR, Schottenfeld R, Ziedonis D, Falcioni J. Winter 43–48

N

Naltrexone
Naltrexone and brief counseling to reduce heavy drinking: results of a small clinical trial. Bohn MJ, Kranzler HR, Beazoglou D, Staehler BA. Spring 91–99
Neuroleptics
A comparison of high-risk situations for alcohol and other drugs. Ross AA, Filstead WJ, Parella DP, Rossi JJ. Summer 241–253
Suicide and psychopathology in 1,537 patients dependent on prescribed psychoactive medications: Stockholm, Sweden. Allgulander C, Brandt L, Allebeck P. Summer 236–240
Nicotine Dependence/Cigarette Smoking
Alcohol, opium, and tobacco, 1817–1844: a view from America's first private mental hospital. Leonard EC. Summer 185–193
Smoking habit and psychological distress in adolescent female students. Schifano F, Forza G, Gallimberti L. Spring 100–105

O

Opiate Dependence
Alcohol, opium, and tobacco, 1817–1844: a view from America's first private mental hospital. Leonard EC. Summer 185–193
A buprenorphine stabilization and rapid-taper protocol for the detoxification of opioid-dependent patients. Parran TV, Adelman CL, Jasinski DR. Fall 306–313
Outpatient Treatment
Cocaine use in buprenorphine- vs. methadone-maintained patients. Oliveto AH, Kosten TR, Schottenfeld R, Ziedonis D, Falcioni J. Winter 43–48
Predicting acceptance of treatment in male dual-diagnosis outpatients. Berman JD, Atkinson RM. Summer 213–221
Psychiatric comorbidity in treatment-seeking cocaine abusers. Halikas JA, Crosby RD, Pearson VL, Nugent SM, Carlson GA. Winter 25–35
A survey of posthospitalization treatment needs and preferences in cocaine abusers. Schmitz JM, Oswald LM, Baldwin L, Grabowski J. Summer 227–235
Test-retest reliability of the Addiction Severity Index composite scores among clients in residential treatment. Summer 254–262

P

Parental Substance Abuse
Language abilities of preschool-age children living with cocaine-using mothers. Malakoff ME, Mayes LC, Schottenfeld RS. Fall 346–354
Temperament mediates the effects of family history of substance abuse on externalizing and

internalizing child behavior. Blackson TC, Tarter RE, Martin CS, Moss HB. Winter 58–66

Pergolide

A comparison of pergolide and bromocriptine in the initial rehabilitation of cocaine dependence. Malcolm R, Phillips JD, Brady KT, Roberts JR. Spring 144–150

Personality/Temperamental Factors

Temperament mediates the effects of family history of substance abuse on externalizing and internalizing child behavior. Blackson TC, Tarter RE, Martin CS, Moss HB. Winter 58–66

Physician Substance Abuse

The Colorado Physician Health Program: Observations at 7 Years. Dilts SL, Gendel M, Lepoff R, Clark C, Radcliff S. Fall 337–345

Polysubstance Abuse

Cocaine use in buprenorphine- vs. methadone-maintained patients. Oliveto AH, Kosten TR, Schottenfeld R, Ziedonis D, Falcioni J. Winter 43–48

The effects of cocaine in buprenorphine-maintained outpatient volunteers: results from clinical experience and laboratory challenges. Strain EC, Preston KL, Stitzer ML, Liebson IA, Bigelow GE. Spring 129–143

Predicting acceptance of treatment in male dual-diagnosis outpatients. Berman JD, Atkinson RM. Summer 213–221

Posttraumatic Stress Disorder (PTSD)

Comorbid substance abuse and posttraumatic stress disorder: characteristics of women in treatment (clinical/research report). Brady KT, Killeen T, Saladin ME, Dansky B, Becker S. Spring 160–164

PSUD Diagnosis

The nosology of adolescent substance abuse. Bukstein O, Kaminer Y. Winter 1–13

Psychosis, Drug-Induced

Cannabis psychotic disorder: does it exist? (clinical update). Gruber AJ, Pope HG. Winter 72–83

Marijuana use associated with first episode of psychiatric illness in an adolescent population (clinical/research report). Clark RR. Winter 67–71

S

Sociodemographic Factors

Early teenage substance use as a predictor of educational-vocational failure. Friedman AS, Bransfield S, Kreisher C. Fall 325–336

Suicide

Suicide and psychopathology in 1,537 patients dependent on prescribed psychoactive medications: Stockholm, Sweden. Allgulander C, Brandt L, Allebeck P. Summer 236–240

Sweden

Suicide and psychopathology in 1,537 patients dependent on prescribed psychoactive medications: Stockholm, Sweden. Allgulander C, Brandt L, Allebeck P. Summer 236–240

W

Women Subjects

Comorbid substance abuse and posttraumatic stress disorder: characteristics of women in treatment (clinical/research report). Brady KT, Killeen T, Saladin ME, Dansky B, Becker S. Spring 160–164

Smoking habit and psychological distress in adolescent female students. Schifano F, Forza G, Gallimberti L. Spring 100–105

V

Veterans

Axis I and Axis II comorbidity among alcohol-disordered men in a sample of Vietnam-era veterans. Scheidt DM, Windle M. Spring 151–159